


T. N. 17. A. R. N. 5. C. 2. K. Int. 205



The logs on this line are not given.

206.

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. There are two vertical lines, one on the left and one on the right, creating margins. The paper appears slightly aged or off-white. There is no handwriting or printed text on the page.

T. N<sup>o</sup>. 17. N. R. N<sup>o</sup>. 5. 2<sup>d</sup>. N. E. 20<sup>th</sup>.

Chs. Lks.

Fractional.

Township line.

East. Bet. Townships. N<sup>o</sup>. 16 & 17 N.  
Range N<sup>o</sup>. 5 East.  
on the S. Side of Sec. 31.

2.10. a Brook 10 W. S. W.

21.42. a W. Oak. 48 in<sup>s</sup> dia.46.00. Q<sup>ty</sup>. Sec. for. Beech. S. 8. W. 12,  
8. N. 2. E. 16.52.25. an Ash. 30 in<sup>s</sup> dia.80.00 Set. P. for. to Sec<sup>s</sup> 31 & 32.S. level } Beech 14. N. 85. W. 14.  
Beech. Ash. }  
Sug. Spruce } Ash 13. N. 62. E. 10.East. On the South line of Sec<sup>s</sup> 32.29.44. a Beech 18 in<sup>s</sup> diam.40.00. Q<sup>ty</sup>. Sec. for. Beech 20. N. 70. W. 22.  
Butterb. N. 22. E. 9.55.81. a Sug. 24 in<sup>s</sup> dia.80.00. Set. P. for. of Sec<sup>s</sup> 32 & 33.

Beech 16. S. 38. W. 16.

Beech 14. N. 23. E. 10.  
 2. 2<sup>nd</sup> time as before

East. on the S. Side of Sec. 33.

6. 50. a Beech 8 Ws. South.

34. 80. a fresh 50 Ws. N. E. (N.E. original)

40. 00. O<sup>ld</sup> Sec. for. Ash 10. S. 60. W. 2.

Beech 10. N. 45. E. 8.

64. 06. a Beech 14 in<sup>3</sup> dia.

80. 00. Set P. for. to Sec<sup>s</sup> 33 & 34.

Good farm (Beech 18. N. 65. W. 24.

Land. Beech.

Ash. Sing. } 12. S. 70. E. 26.  
 Ang<sup>th</sup> Spruce

East. On the S. Bound. of Sec. 34.

28. 25. a Beech 14 in<sup>3</sup> dia.

40. 00. O<sup>ld</sup> Sec. for. Beech 10. N. 66. W. 20.

Oak 30. N. 2. E. 17.

67. 55. an Ash 14 in<sup>3</sup> dia.

80. 00. Set P. for. to Sec. 34 & 35.

Good farm (Beech 10. N. 81. W. 40.

Ash. Beech.

Ash. 18. S. 83. W. 25.

Sing. Ang<sup>th</sup> Spruce

Surveyed by.

John McDonald D.S.



## Subdivisions.

North Bet. Sec<sup>s</sup> 34 & 35.20.64. an Ash. 14 in<sup>s</sup> dia.40.00. Q<sup>t</sup>. Sec. for. Beech 14. N. 23. W. 22.

" 16. S. 23. E. 16.

48.37. a Beech 12 in<sup>s</sup> dia.80.00. Sit. P. for. to Sec<sup>s</sup> 26. 27. 34 & 35.

Ash 6. N. 8. E. 10.

Beech 8. S. 11. W. 44.

L. level 2. R. Beech, Oak. Ash.

Elm &amp; c.

North Bet. Sec<sup>s</sup> 26 & 27.40.00. Q<sup>t</sup>. Sec. for. Beech 12. N. 52. W. 17.

" 10. S. 76. E. 11.

54.08 a Beech 16 in<sup>s</sup> dia.

60.00. a Stream 10 Mts. S. W.

80.00. Sit. P. for. to Sec<sup>s</sup> 22. 23. 26 & 27.

L. 2. R. (Hick. 12. S. 25. E. 13.

Beech, Ash } Beech 14. N. 37. W. 48.

North Bet. Sec<sup>s</sup> 22 & 23.

28.46 a Hickory 30 in<sup>2</sup> diam.  
 40.00 Q<sup>ty</sup> Sec. for Beech 24. N. 36. W. 32.  
 " 8. S. 34. E. 15.

55.12. a Beech 12 in<sup>2</sup> diam.  
 80.00. Set P. for. to Sec<sup>s</sup> 14. 15. 22 & 23.

B. Wal. 10. North 18.

Buckeye 12. S. 15. E. 21.

L. 2<sup>d</sup> R. Beech. Oak. Ash. Elm. Hick.  
 Wg<sup>th</sup> Spice.

North Set. Sec<sup>s</sup> 14 & 15.

14.70. an Ash. 30 in<sup>2</sup> diam.

40.00. Q<sup>ty</sup> Sec. for Beech 10. N. 15. W. 20.  
 Sug. 12. S. 52. E. 22.

51.85. an Ash. 24 in<sup>2</sup> dia.

80.00. Set P. for. to Sec<sup>s</sup> 10. 11. 14 & 15.

Beech 24. West. 43.

" 24. S. 58. E. 47.

L. Broken 2<sup>d</sup> R. Beech. Oak. & full  
 of Brush & Spice wood.

North Set. Sec<sup>s</sup> 33 & 34.

27.82. a Beech 14 in<sup>2</sup> dia.

40.00. Q<sup>ty</sup> Sec. for. W. Oak. 12. N. 72. W. 11.

	Beech 12. S. 66. E. 36.
53.45.	an Ash 12 in <sup>3</sup> dia.
80.00.	Set P. for. to Sec <sup>3</sup> . 27. 28. 33 & 34. L <sup>2</sup> . R. (Sug. 14. N. 73. E. 13. Beech Oak. } Buckeye 10. S. 7. W. 39. Ash. & c.
East.	Set. Sec <sup>3</sup> . 27 & 34. on Random.
35.50.	a Stream 5 Ws. N. W.
40.00.	Temp. O <sup>1</sup> . Sec. Post.
81.40.	Int <sup>2</sup> . E. line 55 Ws. N. of P.
West.	Corrected.
40.70.	O <sup>1</sup> . Sec. Cor. Beech 14. S. 77. E. 30. S. 40. W. 26.
81.40.	Sec. Cor. L. level, L <sup>2</sup> . R. brushy. Beech. Oak. Hick.
North.	Set. Sec <sup>3</sup> . 27 & 28.
15.50.	a Stream 5 Ws. West.
27.20.	a Beech. 12 in <sup>3</sup> dia.
40.00.	O <sup>1</sup> . Sec. for. Beech. 4. S. 40. E. 25. 12. N. 72. W. 16.
58.00.	a Stream 10 Ws. N. W.

63.36. a Hick. 14 in<sup>s</sup> dia.

80.00. Set P. Cor. to Sec<sup>s</sup> 21. 22. 27 & 28.

L. 2<sup>d</sup> R. Brushy { Beech. 10. N. 56. W. 27.

& broken. Beech. { 10. S. 33. E. 5.

Oak. Hick. &c.

East. Bet. Sec<sup>s</sup> 22 & 27 on Random.

40.00. Temp. Q<sup>t</sup> Sec. Post.

81.33. Cont. E. line 32 Ws. N. of S.

West. corrected.

40.66 1/2. Q<sup>t</sup> Sec. Cor. Beech 18. S. 75. W. 19.

Ash. 7. N. 62. E. 22.

81.33. Sec. Cor. S. level 2<sup>d</sup> R. Brushy & Beech.

North. Bet. Sec<sup>s</sup> 21. & 22.

15.11. a Beech 12 in<sup>s</sup> dia.

40.00. Q<sup>t</sup> Sec. Cor. Beech 10. N. 69. W. 3.

W. Oak. 36. S. 14. E. 40.

58.20. an Ash 14 in<sup>s</sup> dia.

80.00. Set P. Cor. to Sec<sup>s</sup> 15. 16. 21 & 22.

L. 2<sup>d</sup> R. Brushy { Buckeye 12. S. 65. W. 13.

broken { Beech &c. { Elm 8. N. 74. E. 18.

East. Bet. Sec.<sup>s</sup> 15 & 22 on Random.

19.50. a Stream 5 Ws. N.W.

40.00. Temp. Q<sup>t</sup>. Sec. Post.

62.25. a Stream 5 Ws. S.E.

81.00. a Stream 5 " S.W.

81.39. Int<sup>d</sup>. E. line 20 Ws. N. of Post.

West. corrected.

40.64½ Q<sup>t</sup>. Sec. Cor. Buch 6. S. 54. E. 14.

" 10. N. 62. W. 15.

81.39. Sec. for L. 2<sup>d</sup> R. Tim. as before.

North. Bet. Sec.<sup>s</sup> 15 & 16.

0.50. a Stream 10 Ws. West.

10.00. a Hick. 12 in<sup>s</sup> diam.

40.00 Q<sup>t</sup>. Sec. for Buch 10. S. 30. E. 35.

" 10. N. 69. W. 12.

46.20. a Buckeye 12 in<sup>s</sup> dia.

80.00. Set P. for to Sec.<sup>s</sup> 9, 10, 15 & 16.

L. 2<sup>d</sup> R. (Buch. 14. N. 13. W. 11.

broken } 12. S. 9. W. 27.

Cut. S. 9. W. 27.

East. Bet. Sec<sup>s</sup> 10 & 15 on Random.

10.00. Fall Creek 100 Ws. N. W.

40.00. Temp. O<sup>t</sup>. Sec. Post.

70.50. Fall Creek South.

81.35. Cont. E. line 48 Ws. S. of Post.

West. corrected.

20.67 1/2. O<sup>t</sup>. Sec. Cor. { Beech 12. S. 72. W. 27.  
" 12. N. 88. E. 41.

81.35. Sec. for L. 1<sup>st</sup> R. Sug. Ash.

North. Bet. Sec. 32 & 33.

24.37. a Sug. 14 in<sup>s</sup>. claim.

40.00. O<sup>t</sup>. Sec. Cor. Sug. 14. N. 40. E. 15.

Ash. 20. S. 30. W. 20.

81.00. Set. P. for to Sec<sup>s</sup> 28, 29, 32 & 33.

Beech 12. N. 80. E. 17.

" 10. S. 70. W. 12.

L. 2<sup>d</sup> R. Broken. Brushy. Begon. Oak. Hick.  
Ash & a.

East. Bet. Sec<sup>s</sup> 28 & 33 on Random.

38.00. a Stream 10 Ws. N. W.

40.00. Temp. O<sup>t</sup>. Sec. Post.



60.00 Same Stream S. W.  
80.85. Int. E. line 10 Wks. S. of Post.

West. corrected.

40.42½. Q<sup>t</sup>. Sec. Cor. Sug. 10. N. 74. E. 10.  
Ash. 14. S. 3. W. 30.

80.85 Sec. Cor. L. & Tim. as before.

North. Bet. Sec<sup>s</sup> 28 & 29.

3.50 a Stream 10 Wks. N. W.

21.39 an Ash. 18 in<sup>s</sup> dia.

28.00 a Stream 3 Wks. N. E.

40.00. Q<sup>t</sup>. Sec. Cor. Popl. 20. N. 45. E. 38.  
Ash. 14. South 5.

59.00. a Hickory 14 in<sup>s</sup> diam.

80.00. Set P. Cor. to Sec<sup>s</sup> 20. 21. 28 & 29.

L. 2<sup>d</sup> R. { Beech 6. N. 5. E. 10.  
" brushy { 6. S. 5. E. 3.  
Tim. as before "

East. Bet. Sec<sup>s</sup> 21 & 28 on Random.

40.00. Temp. Q<sup>t</sup>. Sec. Post.

50.00. a Stream 5 Wks. N. W.



216.

81.00 Int. E. line 18 Ws. S. of Post.

West. corrected. Bet. Sec.<sup>s</sup> 21 & 28.40.50 Q<sup>t</sup>. Sec. for. Ironwood 6. S. 14. W. 8.  
Elm 10. N. 35. E. 8.81.00 Sec. for. L. 2<sup>d</sup> R. very brushy.North. Bet. Sec.<sup>s</sup> 20 & 21.24.00 an Ash. 24 in<sup>s</sup> dia.40.00 Q<sup>t</sup>. Sec. for. Ironwood 4. N. 5. W. 12.  
Bush 18. S. 30. E. 28.62.80 a W. Oak. 30 in<sup>s</sup> diam.80.00 Sit. P. for. to Sec.<sup>s</sup> 16, 17, 20 & 21.  
L. broken { Buckeye 14. N. 39. W. 13.  
2<sup>d</sup> R. & c { Beech. 12. S. 22. W. 19.  
Bush. Hick. {  
Oak. & cEast. in Random bet. Sec.<sup>s</sup> 16 & 21.

25.00 a Stream 10 Ws. wide N. W.

40.00 Imp. Q<sup>t</sup>. Sec. Post.

50.00 a Stream 10 Ws. S. W.

81.10 Int. E. line 10 Ws. N. of Post.

West. *Corrected.*  
 40.55. *Q<sup>t</sup>. Sec. for. Beech 14. N. 36. W. 14*  
 81. 10. *Sec. for. L. 2. R. Sing. 10. S. 77. E. 22.*  
*H. W. Oak. 16. N. 1. W. 55.*

North. *Bet. Sec<sup>s</sup> 16 & 17.*  
 4. 50. *Fall creek S. W.*  
 28. 00. *Touched Fall creek*  
 34. 00. *Touched same S. W.*  
 40. 00. *Q<sup>t</sup>. Sec. cor. Sycamore 24. S. 16. E. 10.*  
*Wick. 4. N. 18. E. 3.*  
 42. 00. *Touched Fall creek S. W.*  
 52. 48. *a W. Oak. 24 in<sup>s</sup> dia.*  
 80. 00. *Set P. for. of Sec<sup>s</sup> 8. 9. 16 & 17.*  
*L. 2. R. Beech 14. N. 1. W. 55.*  
*Buckeye Oak 18. S. 10. W. 40.*

East. *Bet. Sec<sup>s</sup> 9 & 16 on Random*  
 27. 50. *Fall creek South.*  
 30. 50. *Same North*  
 25. 00. *Same S. W.*  
 40. 00. *Temp. Q<sup>t</sup>. Sec. Set.*  
 62. 50. *Touched Fall creek*

218

81.00.	End <sup>d</sup> E. line 9 Mts. S. of P.
West	Corrected
40.50.	Q <sup>t</sup> . Sec. for. Ash 16. N. 85. W. 30. Hackb <sup>7</sup> 12. S. 44. E. 13.
81.00.	Sec. for. 1 <sup>st</sup> Rate Bottom, Hackb <sup>7</sup> ; 24. 1. 2. 2.
North	Bot. Sec <sup>s</sup> 31 & 32.
24. 93.	a. Beech 14 in <sup>s</sup> dia.
40.00.	Q <sup>t</sup> . Sec. for. P. Oak 20. N. 8. E. 9. Beech. 8. S. 4 W. 11.
53.61.	a. Hickory 12 in <sup>s</sup> dia.
90.00.	Set P. for. to Sec <sup>s</sup> 29. 30. 31 & 32. L. broken (Ash 10. N. 26. 2 R. Hick. } Buckeye 12. S. 5. E. 33. Ash Beech } Elm & c.
East.	Bot. Sec <sup>s</sup> 29 & 32.
2.00.	a. Stream 20 Mts. N. W.
40.00.	Temp. Q <sup>t</sup> . Sec. Post.
45.50.	Same Stream S. W.
81.60.	End <sup>d</sup> E. line N. of P.

West. *perfecta* bet. Sec<sup>s</sup> 29 & 32.  
 40.80. Q<sup>ty</sup> Sec. for. Elm 14. N. 62. W. 24.  
                     Beech 14. N. 83. E. 10.  
 41.60. Sec. for. Land 2<sup>d</sup> R.

West. Bet. Sec<sup>s</sup> 30 & 31.  
 26.00. Full growth S. W.  
 32.00. Same N. W.  
 33.50. Same South  
 40.00 Q<sup>ty</sup> Sec. for. Beech 18. N. 49. W. 4.  
                     " — S. 42. W. 23.  
 80.00. Int<sup>r</sup> W. Bound. 63 Mo. N. of S.  
                     L. 2<sup>d</sup> R. { Beech 12. S. 2. E. 31.  
                     Beech { Crownwood 6. N. 2. E. 18.  
                     Oak. &c.

North Bet. Sec<sup>s</sup> 29 & 30.  
 3.50. a Stream 20 Mo. N. W.  
 24.10. a B. Oak. 20 in<sup>3</sup> dia.  
 40.00. Q<sup>ty</sup> Sec. for. Beech 24. N. 19. W. 10.  
                     Sugar 12. S. 20. E. 25.  
 42.68. an Ash. 24 in<sup>3</sup> diam.  
 54.50. Full growth S. W.

80.00. Tot. P. for. to Sec<sup>s</sup> 19. 20. 29 & 30.  
 L. part - (Buckeye C. N. 10. W. 20.  
 1st. R. & 2nd. R. } " C. S. 80. E. 11.

East. - Bet. Sec<sup>s</sup> 20 & 29 on Random.  
 16.50. Fall creek. S. W.  
 44.00. Temp. O<sup>b</sup>. Sec. Post.  
 81.50. Ang. R. C. line at Post.

West. - Corrected. Bet. Sec<sup>s</sup> 20 & 29.  
 40.75. O<sup>b</sup>. Sec. for. Buck 10. N. 44. W. 22.  
 Ash 3.0. S. 49. E. 30.  
 81.30. Sec. for. S. 2<sup>d</sup>. R. Buck. Oak  
 Ash. Hick. & "

West. - Bet. Sec<sup>s</sup> 19 & 30.  
 40.00. O<sup>b</sup>. Sec. for. Buck 8. N. 27. W. 28.  
 " 10 P. 48. E. 35.  
 70.00. a Stream 10 Wks. South  
 79.75. Ind. W. line 70 Wks. S. of P.  
 L. same (Elm 14. N. 6. E. 47.  
 Buck (Hack 6. 14. S. 14. E. 33  
 Oak.

North	Bet. Sec <sup>s</sup> 10 & 20.
25.82.	a Beech 14 in <sup>s</sup> dia.
40.00.	Q <sup>t</sup> . Sec. for Beech 12. N. 35. W. 22.
	14. S. 4. W. 28.
67.06.	an Ash 18 in <sup>s</sup> dia.
80.00.	Set P. for. Ho Sec <sup>s</sup> 17, 18, 19 & 20.
	L. 2 <sup>d</sup> R. Buck { Ash 18. N. 17. W. 8.
	Oak & c. { Beech 10. S. 36. E. 8.
East.	Bet. Sec <sup>s</sup> 17 & 20 on Random.
40.00.	Temp. Q <sup>t</sup> . Sec. Post.
75.85.	Fall fruit S. W.
81.00.	Int. E. line, 10 Ws. N. of P.
West.	corrected.
40.50.	Q <sup>t</sup> . Sec. for Beech 16. corner tree.
	Sug. 18. N. 33. E. 18.
81.00.	Sec. for L. broken, 2 <sup>d</sup> R. Ash. Oak.
	Hick. & c.
West.	Bet. Sec <sup>s</sup> 18 & 16.
24.00.	a Cream 20 Lks. S. W.
46.00.	Q <sup>t</sup> . Sec. for Beech 10. S. 31. W. 27.



Beech 10. N. 57. E. 13.

41.30. a Spring Branch S. E.

55.00. a Spring Branch. S. E.

79.39. Ent. W. Remt. 100 Ms. S. of P.  
L. 2<sup>d</sup> R. (Hick. 12. N. 20. E. 18.  
Tim. as above) Ash. 20. N. 44. W. 20.

North. Bet. Sec. 17 &amp; 18.

36.08. a Beech 10 in<sup>d</sup> dia.40.00. O<sup>d</sup> Sec. for. Beech 14. N. 69. W. 28.  
" 12. S. 44. E. 20.61.00. a Sug. 20 in<sup>d</sup> diam.

80.00. Set V. for. to Sec. 7, 8, 17 &amp; 18.

L. &amp; Tim. (Beech 12. N. 10. E. 18.

Same (Hick. 16. S. 29. E. 20.

East. Bet. Sec. 8 &amp; 17 on Random.

40.00. Temp. O<sup>d</sup> Sec. Post.

80.62. Ent. E. line 16 Ms. N. of P.

West. corrected. Ash. 16. N. 69. W. 16.

40.31. O<sup>d</sup> Sec. for. D. — S. 78. E. 19.80.62. Sec. for. a flat. 2<sup>d</sup> R.



223.

West.	Net. Sec <sup>s</sup> 4 & 8.
33.00.	a Stream 10 Mts. South
40.00.	Q <sup>th</sup> Sec. for. Aug. 20. N. 78. E. 22.
	S. 78. W. 23.
79.50.	End. W. line 115 Mts. S. of P.
	Beech 12. N. 33.
	" 12. S. 33. E. 20.
	L. 2 <sup>d</sup> R. Beech. Oak. Hick.
	Surveyed by
	Wm. B. Laughlin
	D. S.

224.

This image shows a single sheet of white, lined notebook paper. It features horizontal blue or grey ruling lines spaced evenly across its surface. Two vertical lines are present: one on the left side creating a narrow margin, and another on the right side creating a wider margin. The paper appears slightly aged or off-white. There are some faint smudges and marks, particularly along the right edge where it might have been torn from a binder. No handwriting or printed text is visible on the page.